





<b>PROJECT NAME:</b>		<b>CUSTOMER:</b>	
<b>DEFINE APPLICATION:</b>		<b>DATE:</b>	
<b>UNIT CAPACITIES</b>			<b>HEAT SOURCE</b>
BTU INPUT: and/or	CFM:	HP (if known)	
TEMP RISE:	DUCT STATIC (in. w.c.):	VOLTAGE	
		Phase	
<b>UNIT LOCATION</b>	<b>UNIT CONFIGURATION</b> <b>VERTICAL(direct fired only):</b>		<b>HORIZONTAL:</b>
	 <p>Upward Discharge</p>	 <p>Side Discharge Air Flows</p>	 <p>Down Discharge Air Flows</p>  <p>Side Discharge Air Flows</p>
<b>UNIT TYPE</b>	<b>TEMP CONTROL</b>		<b>ACCESSORIES</b> check all that apply
			DIFFUSER PLEATED FILTERS EZ KLEEN METAL FILTERS INLET HOOD SHUT-OFF DAMPER CLOG FILTER SWITCH HANGING SPRINGS ROOF CURB VERTICAL STAND
<b>VFD CONTROL DEVICE:</b> (not available on industrial recirculating units)	<b>RECIRCULATING CONTROL DEVICE:</b>		
<b>GAS PRESSURE:</b>	<b>OPTIONAL COOLING</b> (available on horizontal series up to 14,200 CFM)		
GAS TYPE	<b>DESIRED LAT</b>		
GAS PRESSURE	<b>ADDITIONAL NOTES</b>		
INSURANCE			